

WEST Search History

DATE: Saturday, May 21, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB; USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L98	192 and design object model	1
<input type="checkbox"/>	L97	192 same design object model	0
<input type="checkbox"/>	L96	12 same design object model	0
<input type="checkbox"/>	L95	12 same meta-design object model	0
<input type="checkbox"/>	L94	192 same (transmit\$4 or transfer\$4 or send\$4) with (server or site)	8
<input type="checkbox"/>	L93	L92 and l87	6
		client same (translat\$4 or conver\$8 or transform\$8 or interpret\$4) same (application or CAD or microsoft project or project schedule or excel or proengineer or solidworks or structur\$3) same (independent or platform-independent or source-indepdent or source independent or neutral) near5 (format or form)	524
<input type="checkbox"/>	L92	client same (translat\$4 or conver\$8 or transform\$8 or interpret\$4) same (application or CAD or microsoft project or project schedule or excel or proengineer or solidworks or structur\$3) same (independent or platform-independent or source-indepdent or source independent or neutral) near5 (format or form)	
<input type="checkbox"/>	L91	structur\$3 near5 (data or application) same (source-indepdent or source independent or neutral) near5 (format or from)	1
<input type="checkbox"/>	L90	client same (translat\$4 or conver\$8 or transform\$8) near5 structur\$3 near3 (data or application) same (source-indepdent or source independent or neutral) near5 (format or from)	1
<input type="checkbox"/>	L89	client same (tranlat\$4 or conver\$8 or transform\$8) near5 structur\$3 near3 (data or application) same (source-indepdent or source independent or neutral) adj3 (format or from)	1
<input type="checkbox"/>	L88	L87 and l76	2
<input type="checkbox"/>	L87	715/513.ccls.	2006
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L86	L85 and @pd > 20050329	0
<input type="checkbox"/>	L85	L82 and L66	0
<input type="checkbox"/>	L84	L82 and L76	0
		<i>DB=PGPB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L83	L82 and L76	0
<input type="checkbox"/>	L82	345/\$.ccls.	13312
<input type="checkbox"/>	L81	L80 and @pd > 20041206	0
<input type="checkbox"/>	L80	(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)with (conver\$6 or translat\$4) with (independent or neutral or platform-independent or platform independent) same client same server	1

DB=USPT; PLUR=YES; OP=ADJ

<input type="checkbox"/>	L79	(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)with (conver\$6 or translat\$4) with (independent or neutral or platform-independent or platform independent) same client same server	2
<input type="checkbox"/>	L78	L77 and L76	13
<input type="checkbox"/>	L77	709/\$.ccls.	17870
<input type="checkbox"/>	L76	(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same (independent or neutral or platform-independent or platform independent)	357
<input type="checkbox"/>	L75	receiv\$3 near5(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same (independent or neutral or platform-independent or platform independent)	6
<input type="checkbox"/>	L74	receiv\$3 near5(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same (independent or neutral or platform-independent)	6
<input type="checkbox"/>	L73	receiv\$3 near5(CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same (independent or neutral or platform-independent) same (transfer\$4 or transmit\$4 or forward\$4)	4
<input type="checkbox"/>	L72	(conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (independent or neutral or platform-independent) same bid\$4	1
<input type="checkbox"/>	L71	(conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (independent or neutral or platform-independent) same notif\$10	1
<input type="checkbox"/>	L70	(conver\$6 or translat\$4) with CAD with(independent or neutral or platform-independent) with (format or form)	6
<input type="checkbox"/>	L69	L68 and (conver\$6 or translat\$6)	5
<input type="checkbox"/>	L68	6295513[uref]	14
<input type="checkbox"/>	L67	L66 same client same (server or site or web server)	10
<input type="checkbox"/>	L66	(conver\$6 or translat\$4) same (source code or CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint) same (independent or neutral or platform-independent)	505
<input type="checkbox"/>	L65	L64 and L56	4
<input type="checkbox"/>	L64	(conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or project schedule or excel or proengineer or solidworks or powerpoint)same (independent or neutral or platform-independent)near5 (format or form or language or application or software pr prgram)	48
<input type="checkbox"/>	L63	L61 and L58	3
<input type="checkbox"/>	L62	L61 and L56	1
<input type="checkbox"/>	L61	receiv\$3 near5 (CAD or microsoft or software or project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent)	41
		receiv\$3 near5 (CAD or microsoft or software or project or project schedule or	

<input type="checkbox"/>	L60	excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server) same notif\$6	0
<input type="checkbox"/>	L59	L58 and L55	26
<input type="checkbox"/>	L58	715/\$.ccls.	12768
<input type="checkbox"/>	L57	L56 and L55	72
<input type="checkbox"/>	L56	717/\$.ccls.	4974
<input type="checkbox"/>	L55	(application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form)	309
<input type="checkbox"/>	L54	(accept\$3 or receiv\$4 or provid\$4) same (application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form) same(transfer\$4 or transmit\$4 or forward\$4)	19
<input type="checkbox"/>	L53	(accept\$3 or receiv\$4 or provid\$4) same (application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form) same(transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	3
<input type="checkbox"/>	L52	(accept\$3 or receiv\$4)near5 (application or cad or microsoft project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4) same (independent or neutral) same(transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	10
<input type="checkbox"/>	L51	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (application or cad or microsoft project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral) near5 format	3
<input type="checkbox"/>	L50	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (application or cad microsoft project or project schedule or excel or proengineer or solidworks) same(conver\$6 or translat\$4)same (independent or neutral) near5 format	3
<input type="checkbox"/>	L49	(conver\$6 or translat\$4)near5 source code same (independent or neutral) near5 format	5
<input type="checkbox"/>	L48	(conver\$6 or translat\$4)near5 source codes same (independent or neutral) near5 format	5
<input type="checkbox"/>	L47	(conver\$6 or translat\$4)near5 source codes same (independent or neutral) near5 format same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	0
<input type="checkbox"/>	L46	(application or code or source or structured data) same (conver\$6 or translat\$4) same (independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	67
<input type="checkbox"/>	L45	(application or code or source or structured data) same (conver\$6 or translat\$4) near5(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	1
<input type="checkbox"/>	L44	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (conver\$6 or translat\$4) same(data or application or code or source) near5(independent or neutral)	58
		(accept\$3 or receiv\$4)near5 (client or interface or browser)same (conver\$6 or	

<input type="checkbox"/>	L43	translat\$4) same(data or application or code or source) same(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	7
<input type="checkbox"/>	L42	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (conver\$6 or translat\$4) with(data or application or code or source) with(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	1
<input type="checkbox"/>	L41	(conver\$6 or translat\$4) with(data or application or code or source) with (independent or neutral)	3217
<input type="checkbox"/>	L40	(conver\$6 or translat\$4) same (data or application or code or source) same (independent or neutral)	15227
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L39	(back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) with (format or structure)	4
<input type="checkbox"/>	L38	(back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	3
<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L37	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	0
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L36	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	1
<input type="checkbox"/>	L35	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same original near5 (format or structure)	1
<input type="checkbox"/>	L34	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) with (data or structure or file or object or information or application) sameoriginal near5 (format or structure)	0
<input type="checkbox"/>	L33	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) with (data or structure or file or object or information or application) with original adj3 (format or structure)	1
<input type="checkbox"/>	L32	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) near5(data or structure or file or object or information or application) near5 original adj3 (format or structure)	1
<input type="checkbox"/>	L31	(back-referenc\$4 or back referenc\$4) with(original or source) with(data or structure or file or object or information)	11
<input type="checkbox"/>	L30	(back-reference or back reference) with(original or source) with(data or structure or file or object)	10
<input type="checkbox"/>	L29	(back-reference or back reference) same(original or source) same(data or structure or file or object)	57
<input type="checkbox"/>	L28	(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8	4

<input type="checkbox"/>	L27	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8	2
<input type="checkbox"/>	L26	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) with(back-reference or back reference) with(original or source) with(data or structure or file or object) same modif\$8	1
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L25	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8	1
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L24	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8	0
<input type="checkbox"/>	L23	6295513.pn.	1
<input type="checkbox"/>	L22	5664180.pn.	1
<input type="checkbox"/>	L21	5664180	11
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L20	L19 and @pd > 20050329	0
<input type="checkbox"/>	L19	(back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) with (format or structure)	4
<input type="checkbox"/>	L18	(back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	3
<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L17	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	0
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L16	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	1
<input type="checkbox"/>	L15	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same original near5 (format or structure)	1
<input type="checkbox"/>	L14	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) with (data or structure or file or object or information or application) sameoriginal near5 (format or structure)	0
<input type="checkbox"/>	L13	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) with (data or structure or file or object or information or application) with original adj3 (format or structure)	1
<input type="checkbox"/>	L12	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) near5(data or structure or file or object or information or application) near5 original adj3 (format or structure)	1

<input type="checkbox"/>	L11	(back-referenc\$4 or back referenc\$4) with(original or source) with(data or structure or file or object or information)	11
<input type="checkbox"/>	L10	(back-reference or back reference) with(original or source) with(data or structure or file or object)	10
<input type="checkbox"/>	L9	(back-reference or back reference) same(original or source) same(data or structure or file or object)	57
<input type="checkbox"/>	L8	(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8	4
<input type="checkbox"/>	L7	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8	2
<input type="checkbox"/>	L6	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) with(back-reference or back reference) with(original or source) with(data or structure or file or object) same modif\$8	1
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L5	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8	1
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L4	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8	0
<input type="checkbox"/>	L3	6295513.pn.	1
<input type="checkbox"/>	L2	5664180.pn.	1
<input type="checkbox"/>	L1	5664180	11

END OF SEARCH HISTORY